

Investigator : Servizio Polizia Postale e delle Comunicazioni
Case : SOLLECITO Raffaele
Evidence number : SIM
Timestamp : 19 Nov 2007, 10:19:47
Notes :

Card Identity: 8939105000001654636

Length of the MNC in IMSI: 0

Language Preference 1: Italian
Language Preference 2: English
Language Preference 3: German
Language Preference 4: French
Language Preference 5: Swedish

International Mobile Subscriber Identity (IMSI): 222100400488608 - Italy,
Omnitel Pronto Italia (OPI)

Ciphering Key Kc: 5E 7F 79 11 E2 4A F0 00
Ciphering Key Sequence Number: 2

PLMN selector 1: 20810 - France, S.F.R.
PLMN selector 2: 21401 - Spain, Vodafone
PLMN selector 3: 26202 - Germany, Vodafone D2 GmbH
PLMN selector 4: 23415 - United Kingdom, Vodafone Ltd.
PLMN selector 5: 22801 - Switzerland, Swisscom GSM
PLMN selector 6: 20205 - Greece, Vodafone - Panafon
PLMN selector 7: 23201 - Austria, A1
PLMN selector 8: 310410 - United States, Cingular Wireless
PLMN selector 9: 22601 - Romania, Mobifon
PLMN selector 10: 20601 - Belgium, Proximus
PLMN selector 11: 20404 - Netherlands, Vodafone Libertel N.V.
PLMN selector 12: 21910 - Croatia, VIPnet
PLMN selector 13: 26801 - Portugal, Vodafone Telecel - Comunica es Pessoais,
S.A.
PLMN selector 14: 60202 - Egypt, Vodafone Egypt
PLMN selector 15: 46000 - China, China Mobile
PLMN selector 16: 26001 - Poland, Plus GSM (Polkomtel S.A.)
PLMN selector 17: 27201 - Ireland, Vodafone Ireland Plc
PLMN selector 18: 21670 - Hungary, Vodafone
PLMN selector 19: 23003 - Czech Rep., Cesk  Mobil a.s., Oskar
PLMN selector 20: 28602 - Turkey, Telsim GSM

HPLMN search period: 05

ACM maximum value: 0

SIM Service Table:

CHV1 disable function:	allocated, activated
Abbreviated Dialling Numbers (ADN):	allocated, activated
Fixed Dialling Numbers (FDN):	allocated, activated
Short Message Storage (SMS):	allocated, activated
Advice of Charge (AoC):	allocated, activated
Capability Configuration Parameters (CCP):	allocated, activated
PLMN Selector:	allocated, activated
Called Party Subaddress:	not allocated
MSISDN:	allocated, activated
Extension1:	allocated, activated
Extension2:	allocated, activated
SMS Parameters:	allocated, activated
Last Numbers Dialed (LND):	allocated, activated
Cell Broadcast Message Identifier:	allocated, activated

Group Identifier Level 1:	not allocated
Group Identifier Level 2:	not allocated
Service Provider Name:	allocated, activated
Service Dialling Numbers:	not allocated
Extension 3:	not allocated
RFU:	not allocated
VGCS Group Identifier List:	not allocated
VBS Group Identifier List:	not allocated
Enhanced Multi-Level Precedence and Preemption Service:	not allocated
Automatic Answer for eMLPP:	not allocated
Data download via SMS-CB:	not allocated
Data download via SMS-PP:	not allocated
Menu selection:	allocated, activated
Call control:	not allocated
Proactive SIM:	allocated, activated
Cell Broadcast Message Identifier Ranges:	not allocated
Barred Dialling Numbers:	not allocated
Extension 4:	not allocated
De-personalization Control Keys:	not allocated
Cooperative network list:	not allocated
Short Message Status Reports:	not allocated
Network's indication of alerting in the MS:	not allocated
Mobile Originated Short Message Control by the SIM:	not allocated
GPRS:	allocated, activated
Image (IMG):	not allocated
SoLSA (Support of Local Service Area):	not allocated

Accumulated Call Meter (ACM): 0

Currency Code: L.

Cell Broadcast Message Identifier (CBMI) 1:	65535
Cell Broadcast Message Identifier (CBMI) 2:	65535
Cell Broadcast Message Identifier (CBMI) 3:	65535
Cell Broadcast Message Identifier (CBMI) 4:	65535
Cell Broadcast Message Identifier (CBMI) 5:	65535
Cell Broadcast Message Identifier (CBMI) 6:	65535
Cell Broadcast Message Identifier (CBMI) 7:	65535
Cell Broadcast Message Identifier (CBMI) 8:	65535
Cell Broadcast Message Identifier (CBMI) 9:	65535
Cell Broadcast Message Identifier (CBMI) 10:	65535

Display Condition: display of plmn required

Broadcast Control Channels (BCCH): 9F B3 7F CF 00 00 00 00 00 00 00 00 00 00 00 00 00

Access control class: 0

Forbidden PLMN 1: 21407 - Spain, Movistar
 Forbidden PLMN 2: 21403 - Spain, Amena
 Forbidden PLMN 3: 22201 - Italy, Telecom Italia Mobile (TIM)
 Forbidden PLMN 4: 22288 - Italy, Wind

Temporary Mobile Subscriber Identity (TMSI): 2D C4 C5 EF
 Location Area Identity (LAI) network code: 22210 - Italy, Omnitel Pronto Italia (OPI)
 Location Area Identity (LAI) area code: 79 4E
 TMSI timestamp: FF
 Location Update Status: updated

SIM Phase: phase 2 - profile download required

Ciphering Key KcGPRS: 89 9E 4F 60 98 32 C0 00
 Ciphering Key GPRS Sequence Number: 0

Packet Temporary Mobile Subscriber Identity (TMSI): FE A4 CA 03
 Packet TMSI signature value: FF FF FF
 Routing Area Identifier (RAI) network code: 22210 - Italy, Omnitel Pronto Italia (OPI)
 Routing Area Identifier (RAI) location area code: 79 4E
 RAI routing area code: 32
 Routing Area Update Status: updated

Short Message 1:

Status : received - read
 Service Center Type of Number : international
 Service Center Numbering plan : E.164 ISDN
 Service Center Number : 393358824000
 Message Type (TP-MTI) : SMS-DELIVER
 Reply Path (TP-RP) : no RP
 More Messages Indicator (TP-MMS) : no more messages
 Status Report Indication (TP-SRI) : status report shall be returned
 Originator Type of Number : international
 Originator Numbering plan : E.164 ISDN
 Originating Address (TP-OA) : 393397755093
 Protocol Identifier (TP-PID) : mobile-mobile
 Data Coding Scheme-Coding : GSM
 Data Coding Scheme-Class : Immediate display
 Data Coding Scheme-Class :
 Service Centre Time Stamp : 15 Feb 02 15:02:33 GMT+01:00
 Text : Regala ad un amico un preservativo delle
 Ferrovie dello Stat
 o. Lo farai venire con 50 minuti di ritardo!

Short Message 2:

Status : received - read
 Service Center Type of Number : international
 Service Center Numbering plan : E.164 ISDN
 Service Center Number : 393492000305
 Message Type (TP-MTI) : SMS-DELIVER
 Reply Path (TP-RP) : no RP
 More Messages Indicator (TP-MMS) : no more messages
 Status Report Indication (TP-SRI) : status report shall be returned
 Originator Type of Number : international
 Originator Numbering plan : E.164 ISDN
 Originating Address (TP-OA) : 393479693516
 Protocol Identifier (TP-PID) : mobile-mobile
 Data Coding Scheme-Coding : GSM
 Data Coding Scheme-Class : Immediate display
 Data Coding Scheme-Class :
 Service Centre Time Stamp : 26 Mar 02 09:33:42 GMT+10:00
 Text : TANTI AUGURI MAGGIORENNE! ORA PUOI FINIRE
 IN GALERA SE STU P
 RI UNA MINORE NNE..QUINDI DAI 18 INSU!
 MIDISPUN CASINOMANNPOS
 SOVENIREALLATU AFESTACMQAUGU RISSIMII!!

Short Message 3:

Status : received - read
 Service Center Type of Number : international
 Service Center Numbering plan : E.164 ISDN
 Service Center Number : 393492000358
 Message Type (TP-MTI) : SMS-DELIVER
 Reply Path (TP-RP) : no RP
 More Messages Indicator (TP-MMS) : no more messages

```

Status Report Indication (TP-SRI) : status report shall be returned
Originator Type of Number         : international
Originator Numbering plan         : E.164 ISDN
Originating Address (TP-OA)       : 393495895392
Protocol Identifier (TP-PID)       : mobile-mobile
Data Coding Scheme-Coding          : 8-bit data
Data Coding Scheme-Class           : ME specific
Data Coding Scheme-Class           :
Service Centre Time Stamp          : 16 Dec 02 15:19:18 GMT+10:00
Information Element 1               : WDP Destination Port: 5514 Source Port: 0
Information Element 2               : Concatenated message, reference 2. Segment
1 of 3.
Text                                : 0
Short Message 4:
Status                              : received - read
Service Center Type of Number       : international
Service Center Numbering plan       : E.164 ISDN
Service Center Number               : 393492000358
Message Type (TP-MTI)               : SMS-DELIVER
Reply Path (TP-RP)                  : no RP
More Messages Indicator (TP-MMS)    : no more messages
Status Report Indication (TP-SRI)  : status report shall be returned
Originator Type of Number           : international
Originator Numbering plan           : E.164 ISDN
Originating Address (TP-OA)         : 393495895392
Protocol Identifier (TP-PID)         : mobile-mobile
Data Coding Scheme-Coding           : 8-bit data
Data Coding Scheme-Class             : ME specific
Data Coding Scheme-Class             :
Service Centre Time Stamp            : 16 Dec 02 15:19:22 GMT+10:00
Information Element 1                : WDP Destination Port: 5514 Source Port: 0
Information Element 2                : Concatenated message, reference 2. Segment
2 of 3.
Text                                : p
                                      : d
Short Message 5:
Status                              : received - read
Service Center Type of Number       : international
Service Center Numbering plan       : E.164 ISDN
Service Center Number               : 491722270333
Message Type (TP-MTI)               : SMS-DELIVER
Reply Path (TP-RP)                  : no RP
More Messages Indicator (TP-MMS)    : no more messages
Status Report Indication (TP-SRI)  : status report shall be returned
Originator Type of Number           : international
Originator Numbering plan           : E.164 ISDN
Originating Address (TP-OA)         : 491738375651
Protocol Identifier (TP-PID)         : mobile-mobile
Data Coding Scheme-Coding           : GSM
Data Coding Scheme-Class             : Immediate display
Data Coding Scheme-Class             :
Service Centre Time Stamp            : 01 Jan 05 00:44:32 GMT+01:00
Text                                : Wünsch dir ein frohes neues jahr!liebe
grüße <maike>
Short Message 6:
Status                              : deleted
Service Center Type of Number       : international
Service Center Numbering plan       : E.164 ISDN
Service Center Number               : 393492001155
Message Type (TP-MTI)               : SMS-DELIVER
Reply Path (TP-RP)                  : no RP
More Messages Indicator (TP-MMS)    : no more messages
Status Report Indication (TP-SRI)  : status report shall not be returned

```

Originator Type of Number :
 Originator Numbering plan : E.164 ISDN
 Originating Address (TP-OA) : 2010
 Protocol Identifier (TP-PID) :
 Data Coding Scheme-Coding : GSM
 Data Coding Scheme-Class : Immediate display
 Data Coding Scheme-Class :
 Service Centre Time Stamp : 22 Oct 07 10:57:58 GMT+02:00
 Text :

Short Message 7:

Status : received - read
 Service Center Type of Number : international
 Service Center Numbering plan : E.164 ISDN
 Service Center Number : 393492000896
 Message Type (TP-MTI) : SMS-DELIVER
 Reply Path (TP-RP) : no RP
 More Messages Indicator (TP-MMS) : no more messages
 Status Report Indication (TP-SRI) : status report shall be returned
 Originator Type of Number : international
 Originator Numbering plan : E.164 ISDN
 Originating Address (TP-OA) : 393484935339
 Protocol Identifier (TP-PID) : mobile-mobile
 Data Coding Scheme-Coding : GSM
 Data Coding Scheme-Class : SIM specific
 Data Coding Scheme-Class :
 Service Centre Time Stamp : 23 Feb 05 22:32:14 GMT+01:00
 Text : Raffaele forse prendo need for
 speed underground2
 dal negozio dei giochi poi ti avviso

Short Message 8:

Status : deleted
 Service Center Type of Number : international
 Service Center Numbering plan : E.164 ISDN
 Service Center Number : 393492000424
 Message Type (TP-MTI) : SMS-DELIVER
 Reply Path (TP-RP) : no RP
 More Messages Indicator (TP-MMS) : no more messages
 Status Report Indication (TP-SRI) : status report shall be returned
 Originator Type of Number :
 Originator Numbering plan : unknown
 Originating Address (TP-OA) : 42020
 Protocol Identifier (TP-PID) : Replace Type 1
 Data Coding Scheme-Coding : GSM
 Data Coding Scheme-Class : SIM specific
 Data Coding Scheme-Class :
 Service Centre Time Stamp : 05 Apr 07 11:27:30 GMT+02:00
 Text : Segreteria telefonica: hai 2 nuovi
 messaggi. Per ascoltare c
 hiama il 42020. Per ricevere il numero del
 mittente via SMS
 digita 0 dopo l'ascolto.

Short Message 9:

Status : deleted
 Service Center Type of Number : international
 Service Center Numbering plan : E.164 ISDN
 Service Center Number : 393492000465
 Message Type (TP-MTI) : SMS-DELIVER
 Reply Path (TP-RP) : no RP
 More Messages Indicator (TP-MMS) : no more messages
 Status Report Indication (TP-SRI) : status report shall be returned
 Originator Type of Number : international

Originator Numbering plan : E.164 ISDN
Originating Address (TP-OA) : 393476423607
Protocol Identifier (TP-PID) : Replace Type 6
Data Coding Scheme-Coding : GSM
Data Coding Scheme-Class : Immediate display
Data Coding Scheme-Class :
Service Centre Time Stamp : 15 May 07 20:20:31 GMT+02:00
Text : Ho chiamato alle 20:20 del 15/05/07.
Informazione gratuita d

el servizio CHIAMAMI di Vodafone.

Short Message 10:

Status : received - read
Service Center Type of Number : international
Service Center Numbering plan : E.164 ISDN
Service Center Number : 393492000358
Message Type (TP-MTI) : SMS-DELIVER
Reply Path (TP-RP) : no RP
More Messages Indicator (TP-MMS) : no more messages
Status Report Indication (TP-SRI) : status report shall be returned
Originator Type of Number : international
Originator Numbering plan : E.164 ISDN
Originating Address (TP-OA) : 393495895392
Protocol Identifier (TP-PID) : mobile-mobile
Data Coding Scheme-Coding : 8-bit data
Data Coding Scheme-Class : ME specific
Data Coding Scheme-Class :
Service Centre Time Stamp : 16 Dec 02 15:19:25 GMT+10:00
Information Element 1 : WDP Destination Port: 5514 Source Port: 0
Information Element 2 : Concatenated message, reference 2. Segment
3 of 3.
Text :